


**WM(G)**

Стержни теплопередачи



Номер (G)	d	L	Номер (G)	d	L	Номер (G)	d	L
WM-2-50	2	50	WM-6-80	6	80	WM-12-90	12	90
WM-2-65	2	65	WM-6-90	6	90	WM-12-120	12	120
WM-2-80	2	80	WM-6-120	6	120	WM-12-160	12	160
WM-2-90	2	90	WM-6-160	6	160	WM-12-200	12	200
WM-2-120	2	120	WM-6-200	6	200	WM-12-270	12	270
WM-3-50	3	50	WM-6-270	6	270	WM-12-320	12	320
WM-3-65	3	65	WM-8-50	8	50	WM-16-50	16	50
WM-3-80	3	80	WM-8-65	8	65	WM-16-65	16	65
WM-3-90	3	90	WM-8-80	8	80	WM-16-80	16	80
WM-3-120	3	120	WM-8-90	8	90	WM-16-90	16	90
WM-4-50	4	50	WM-8-120	8	120	WM-16-120	16	120
WM-4-65	4	65	WM-8-160	8	160	WM-16-160	16	160
WM-4-80	4	80	WM-8-200	8	200	WM-16-200	16	200
WM-4-90	4	90	WM-8-270	8	270	WM-16-270	16	270
WM-4-120	4	120	WM-10-50	10	50	WM-16-320	16	320
WM-4-160	4	160	WM-10-65	10	65	WM-20-50	20	50
WM-4-200	4	200	WM-10-80	10	80	WM-20-65	20	65
WM-5-50	5	50	WM-10-90	10	90	WM-20-80	20	80
WM-5-65	5	65	WM-10-120	10	120	WM-20-90	20	90
WM-5-80	5	80	WM-10-160	10	160	WM-20-120	20	120
WM-5-90	5	90	WM-10-200	10	200	WM-20-160	20	160
WM-5-120	5	120	WM-10-270	10	270	WM-20-200	20	200
WM-5-160	5	160	WM-10-320	10	320	WM-20-270	20	270
WM-5-200	5	200	WM-12-50	12	50	WM-20-320	20	320
WM-6-50	6	50	WM-12-65	12	65			
WM-6-65	6	65	WM-12-80	12	80			

www.system.com.ru

CAD reference point